

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



6239 512420

Herb List of Village Hill Nursery



CAT NEP

*'If you set it, the cats
will eat it'*

*'If you sow it, the cats
won't know it'*



Williamsburg
Mass.

INFORMATION FOR OUR CUSTOMERS

Williamsburg is situated eight miles from Northampton on the Berkshire Trail, Route 9. The nursery is reached by crossing the cement bridge by the library in the centre of town, turning left and proceeding straight to the top of Village Hill.

We aim to furnish only healthy, vigorous plants correctly named to the best of our knowledge. We can not assume responsibility for damage to plants in transit or for customers subsequent failures with plants due to weather, adverse soil conditions or improper handling. We gladly rectify mistakes for which we are responsible, if errors are reported within 10 days of receipt of plants.

We do a strictly retail cash business and bills are due when presented.

Orders may be sent parcel post or express collect when desired with small additional charge to cover packing.

No orders shipped for less than \$1.00.

For Border, Bedding and Rock Plants, see our Plant List.

BIBLIOGRAPHY

The Standard Cyclopedia of Horticulture—L. H. Bailey
Published by Macmillan.

Standardized Plant Names—American Joint Committee on Horticultural Nomenclature.
Published by Mt. Pleasant Press.

A Modern Herbal—Mrs. M. Grieve
Published by Jonathan Cape—London.

Culpeper's English Physician and Complete Herbal—
William J. Ferrier
Published by W. & G. Foyle, Ltd.—London.

Smith's English Botany
Sir James Edward Smith, M.D.F.R.S.
Published by Richard Taylor, Red Lion Court, Fleet St.
for the Proprietor, C. E. Sowerby.

Herbs
Helen Noyes Webster
Published by Mass. Horticultural Society, Boston, Mass.

Herb Journal
Mrs. Rosetta E. Clarkson, Editor

Edible Wild Plants
Oliver P. Medsger
Published by Macmillan.

Gray's New Manual of Botany
Seventh Edition
Published by American Book Company.

Illustrated Flora of the Northern States and Canada
Britton and Brown
Published by Scribners.

ANNUALS, BIENNIALS AND PERENNIALS

USED AS HERBS

| | | |
|---|---|-------------|
| <i>Achillea millefolium</i> | <i>rosea</i> —Yarrow-milfoil | 25 |
| " | <i>nana</i> —dwarf | 35 |
| " | <i>ptarmica</i> "The Pearl"—Sneezewort | 25 |
| " | " "Boule de Neige" | 25 |
| " | <i>tomentosum</i> —Wooly Yarrow | 25 |
| <i>Aconitum napellus</i> | Aconite—Monkshood | 30 |
| " | <i>bicolor</i> | 30 |
| <i>Acorus calamus</i> | Sweet Flag | 25 |
| <i>Aegopodium podagraria</i> | variegatum—Gout Weed | 20 |
| <i>Agastache foeniculum</i> | Fragrant Giant Hyssop | 35 |
| <i>Ajuga reptans</i> | Bugle weed—Sicklewort | 25 |
| " | <i>alba</i> | 25 |
| " | " <i>brockbanki</i> | 30 |
| " | " <i>variegata</i> | 30 |
| <i>Alkanet</i> (see) <i>Anchusa</i> | | |
| <i>Allium sativum</i> | Garlic | pot 15 |
| " | <i>schoenoprasum</i> —Chives | 25 |
| <i>Aloysia</i> , see <i>Lippia</i> | | |
| <i>Ambrosia</i> , see <i>Chenopodium</i> | | |
| <i>Anagallis grandiflora</i> | <i>coerulea</i> —Pimpernel | per doz. 60 |
| " | " "—Vermilion Red | per doz. 60 |
| <i>Anchusa italicica</i> | Dropmore—Alkanet—Dyer's Bugloss | 25 |
| " | <i>myosotidiflora</i> —For-get-me-not Anchusa | 30 |
| <i>Anemone pulsatilla</i> | Pasque Flower | 35 |
| <i>Anethum graveolens</i> | Dill | per doz. 60 |
| <i>Angelica officinalis</i> | Garden Angelica | 35 |
| <i>Anise</i> , see <i>Pimpinella</i> | | |
| <i>Anthemis nobilis</i> | Common Chamomile | 25 |
| " | " double—English " | 25 |
| <i>Anthriscus cerefolium</i> | Chervil | pot 20 |
| <i>Antirrhinum majus</i> | Snapdragon | per doz. 50 |
| <i>Aquilegia vulgaris</i> | Columbine | 25 |
| <i>Artemesia abrotanum</i> | Old Man—Southern Wood | 30 |
| " | <i>absintheum</i> —Wormwood | 25 |
| " | <i>annua</i> —Sweet Mugwort | per doz. 60 |
| " | <i>dracunculus inodora</i> —Russian Tarragon | 25 |
| " | " <i>sativa</i> —French Tarragon | 50 |
| " | <i>frigida</i> —Fringed Wormwood | 25 |
| " | <i>ludoviciana</i> —White Sage | 35 |
| " | <i>pontica</i> —Roman Wormwood | 25 |
| " | <i>stellarihana</i> —Old Woman—Beach Wormwood | 25 |
| " | <i>vulgaris lactiflora</i> —Common | 25 |
| <i>Asarum canadense</i> | Wild Ginger | 25 |
| <i>Asclepias tuberosa</i> | Pleurisy Root—Orange Milkweed | 25 |
| <i>Asperula odorata</i> | Sweet Woodruff | 25 |
| " | <i>azurea setosa</i> —Blue Woodruff | per doz. 60 |
| <i>Athyrium (Dryopteris) felixmas</i> | Male Fern | 50 |
| <i>Auricula</i> , see <i>Primula</i> | | |
| <i>Bachelor's Buttons</i> , see <i>Centaurea</i> | | |
| <i>Balm</i> , see <i>Melissa</i> and <i>Monarda</i> | | |
| <i>Baptisia tinctoria</i> | False Indigo | 25 |
| <i>Basil</i> , see <i>Ocimum</i> | | |
| <i>Bayberry</i> , see <i>Myrica</i> | | |
| <i>Bedstraw</i> , see <i>Galium</i> | | |
| <i>Bee Balm</i> , see <i>Monarda</i> | | |
| <i>Bellis perennis</i> | English Daisy | per doz. 60 |
| <i>Bergamont</i> , see <i>Monarda</i> | | |
| <i>Betony</i> , see <i>Stachys</i> | | |
| <i>Black Eyed Susan</i> , see <i>Rudbeckia</i> | | |
| <i>Bocconia cordata</i> | Plume Poppy | 25 |

| | | |
|--|----------|---------------|
| Boneset, see <i>Eupatorium</i> | | |
| <i>Borago officinalis</i> —Borage | | pot 25 |
| Bowman's Root, see <i>Gillenia</i> | | |
| Box, see <i>Buxus</i> | | |
| Bugle Weed, see <i>Ajuga</i> | | |
| Bugloss, see <i>Anchusa</i> | | |
| Burnet, see <i>Sanguisorba</i> | | |
| Burning Bush, see <i>Dictamnus</i> | | |
| <i>Buxus japonica</i> —Box | 50 | 1.00 |
| Calamint, see <i>Satureia</i> | | |
| <i>Calendula officinalis</i> —Pot Marigold | | per doz. 35 |
| <i>Caltha palustris</i> —Marsh Marigold | | 25 |
| Campion, see <i>Lychnis</i> | | |
| Caraway, see <i>Carum</i> | | |
| Cardinal Flower, see <i>Lobelia</i> | | |
| Carthamus tinctorius—American Saffron—sow from seed | | |
| <i>Carum carvi</i> —Caraway | | per doz. 1.00 |
| <i>Cassia Marylandica</i> —Wild Senna | | 25 |
| Catnip, see <i>Nepeta cataria</i> | | |
| <i>Cedronella cana</i> —Mosquito Plant | | 35 |
| Celandine (lesser), see <i>Ranunculus</i> | | |
| <i>Centaurea cyanus</i> —Bachelor's Buttons | | per doz. 35 |
| <i>Ceratostigma plumbaginoides</i> —Leadwort—Plumbago | | 35 |
| Chamomile, see <i>Anthemis</i> and <i>Matricaria</i> | | |
| <i>Chenopodium Bonus Henricus</i> —Good King Henry | | 20 |
| “ botrys—Ambrosia | | |
| Chervil, see <i>Anthriscus</i> | | |
| <i>Chichorium Intybus</i> —Chicory | | 25 |
| Chives, see <i>Allium</i> | | |
| Christmas Rose, see <i>Helleborus</i> | | |
| <i>Chrysanthemum balsamita</i> —Camphor Plant | | 50 |
| “ “ <i>tanacetoides</i> Lad's Love—Cost Mary | | 25 |
| “ “ <i>cinerariaefolium</i> —Dalmatian Pellitory | | 35 |
| “ “ <i>coccineum</i> —Pyrethrum | | 25 |
| “ “ <i>parthenium</i> —Feverfew | | 25 |
| Cicely Sweet, see <i>Myrrhis</i> | | |
| <i>Cimicifuga racemosa</i> —Snakeroot | | 25 |
| <i>Cistus villosus</i> —Rock Rose | | pot 25-50 |
| Clary, see <i>Salvia</i> | | |
| <i>Clematis recta</i> —Flammula Jovis | | 35 |
| <i>Colchicum autumnale</i> (Autumn Crocus or Meadow Saffron) | | 25 |
| Coltsfoot, see <i>Tussilago</i> | | |
| Columbine, see <i>Aquilegia</i> | | |
| Comfrey, see <i>Symphytum</i> | | |
| <i>Convallaria majalis</i> —Lily of the Valley | | 25 |
| <i>Coriandrum sativum</i> —Coriander—sow from seed | | |
| Costmary, see <i>Chrysanthemum</i> | | |
| Cowslip, see <i>Primula</i> | | |
| <i>Crithmum maritimum</i> —Samphire | | 1.00-2.00 |
| <i>Crocus sativus</i> —Saffron | 6 bulbs | 60 |
| <i>Cuminum cyminum</i> —Cumin | per doz. | 1.00 |
| <i>Cynoglossum amabile</i> —Houndstongue | per doz. | 35 |
| <i>Dahlia hybrida</i> —in variety | | 25 & 50 |
| Daisy, English, see <i>Bellis</i> | | |
| Deadnettle, spotted, see <i>Lamium</i> | | |
| <i>Dianthus plumarius</i> —Clove Pink | | 25 |
| <i>Dictamnus fraxinella</i> —Gasplant—Burning Bush | | 50 |
| <i>Digitalis gloxinoides</i> —Fox Glove | | 25 |
| Dill, see <i>Anethum</i> | | |
| Dittany of Crete, see <i>Origanum</i> | | |
| Dyer's Bugloss, see <i>Anchusa</i> | | |

| | |
|---|-------------|
| <i>Echinacea purpurea</i> —Purple Coneflower | 25 |
| <i>Elecampane</i> , see <i>Inula</i> | |
| <i>Eupatorium perfoliatum</i> —Boneset—Thoroughwort | 25 |
| " <i>purpureum</i> —Joe Pye Weed | 25 |
| " <i>urticaefolium (ageratoides)</i> —Snakeroot | 25 |
| <i>Euphorbia corallata</i> —White purslane | 25 |
| False Indigo, see <i>Baptisia</i> | |
| <i>Fennell</i> , see <i>Foeniculum</i> | |
| <i>Fern, Male</i> , see <i>Athyrium</i> | |
| <i>Feverfew</i> , see <i>Chrysanthemum</i> | |
| <i>Flag</i> , see <i>Iris and Acorus</i> | |
| <i>Flamula Jovis</i> , see <i>Clematis</i> | |
| <i>Flax</i> , see <i>Linum</i> | |
| <i>Foeniculum dulce</i> —Florence Fennell | per doz. 60 |
| " <i>vulgare</i> —Sweet Fennel | per doz. 60 |
| <i>For-get-me-not</i> , see <i>Myosotis</i> | |
| <i>Fox Glove</i> , see <i>Digitalis</i> | |
| <i>Galium mollugo</i> —Bedstraw | 25 |
| " <i>verum</i> —Lady's Bedstraw | 25 |
| <i>Garden Heliotrope</i> , see <i>Valeriana</i> | |
| <i>Garlic</i> , see <i>Allium</i> | |
| <i>Gasplant</i> , see <i>Dictamnus</i> | |
| <i>Geranium, fragrant</i> , see <i>Pelargonium</i> | |
| <i>Germanander</i> , see <i>Teucrium</i> | |
| <i>Gillenia trifoliata</i> —Indian Physic—Bowman's Root | 35 |
| <i>Ginger, wild</i> , see <i>Asarum</i> | |
| <i>Globe Flower</i> , see <i>Trollius</i> | |
| <i>Good King Henry</i> , see <i>Chenopodium</i> | |
| <i>Gout Weed</i> , see <i>Aegopodium</i> | |
| <i>Heartsease</i> , see <i>Viola</i> | |
| <i>Hedera helix</i> —English Ivy | 75-1.50 |
| <i>Heliotropium peruvianum</i> —Heliotrope | pots 35-50 |
| <i>Helleborus niger</i> —Christmas Rose | 1.50 |
| <i>Hesperis matronalis</i> —Sweet Rocket | 25 |
| <i>Hops</i> , see <i>Humulus</i> | |
| <i>Horehound</i> , see <i>Marrubium</i> | |
| <i>Horseradish</i> , see <i>Radicula</i> | |
| <i>Houndstongue</i> , see <i>Cynoglossum</i> | |
| <i>Houseleek</i> , see <i>Sempervivum</i> | |
| <i>Humulus lupulus</i> —Hops | 25 |
| <i>Hyssopus officinalis</i> —Hyssop | 25 |
| " " pink " | 25 |
| " " white " | 35 |
| <i>Impatiens sultani</i> —Impatience | 25 |
| <i>Indian physic</i> , see <i>Gillenia</i> | |
| <i>Inula helenium</i> —Elecampane | 25 |
| " <i>royleana</i> | 25 |
| <i>Iris germanica</i> in variety—Orris | 25-75 |
| " <i>pseudacorus</i> —Yellow Flag | 25 |
| " <i>versicolor</i> —Blue Flag | 25 |
| <i>Isatis glauca</i> —Woad | 25 |
| " <i>tinctoria</i> —Dyer's Wood | 25 |
| <i>Ivy, English</i> , see <i>Hedera</i> | |
| " <i>Ground</i> , see <i>Nepeta</i> | |
| " <i>Kennilworth</i> , see <i>Linaria</i> | |
| <i>Jacob's Ladder</i> , see <i>Polemonium</i> | |
| <i>Joe Pye Weed</i> , see <i>Eupatorium</i> | |
| <i>Lad's Love</i> , see <i>Chrysanthemum</i> | |
| <i>Lamium maculatum album</i> —Spotted Deadnettle | 35 |

| | | |
|---|----------|-------|
| <i>Lavandula dentata</i> | | 35 |
| " <i>pedunculata</i> | | 35 |
| " <i>pinnata</i> | | 35 |
| " <i>spica</i> —Spike Lavender | | 35 |
| " <i>stoechas</i> —French Lavender | | 35 |
| " <i>vera</i> —(<i>Officinalis</i>)—True Lavender | | 25-50 |
| Lavender Cotton, see <i>Santolina</i> | | |
| Lavender, Sea, see <i>Limonium</i> | | |
| Leadwort, see <i>Ceratostigma</i> | | |
| Leek, see <i>Sempervivum</i> | | |
| Lemon Verbena, see <i>Lippia</i> | | |
| Lepidium sativum—Pepper Grass—Sow from seed | | |
| Levisticum officinale—Lovage | | 25 |
| Lilium candidum—Madonna Lily | pots | 50 |
| " <i>tigrinum</i> —Tiger Lily | | 25 |
| Lily, pond, see <i>Nymphaea</i> | | |
| Limonium latifolium, Sea Lavender | | 35 |
| Linaria cymbalaria—Kennebunk Ivy | | 15 |
| Linum perenne—Flax, blue | | 25 |
| " <i>Album</i> White Flax | | 25 |
| " <i>usitatissimum</i> —Common Flax | | 25 |
| Lippia citriodora—Lemon Verbena | | 25 |
| Lobelia cardinalis—Cardinal Flower | | 25 |
| " <i>syphilitica</i> , blue | | 25 |
| Lovage, see <i>Levisticum</i> | | |
| Lupinus polyphyllus—Lupine | | 25 |
| Lychnis coronaria—Rose Campion | | 25 |
| Male Fern, see <i>Athyrium</i> | | |
| Mandrake, see <i>Podophyllum</i> | | |
| Marigold, Marsh, see <i>Caltha</i> | | |
| " Pot, see <i>Calendula</i> | | |
| Marjoram, see <i>Origanum</i> | | |
| Marrubium vulgare—Horehound | | 25 |
| Matricaria chamomilla—German Camomile | | 15 |
| " <i>parthenoides</i> —Feverfew | | 25 |
| " <i>Golden Ball</i> | | 25 |
| May Apple, see <i>Podophyllum</i> | | 25 |
| Melissa officinalis—Lemon Balm | | 25 |
| Mentha <i>anisatum</i> —Anise Mint | | 25 |
| " <i>arvensis</i> —Corn Mint | | 25 |
| " <i>citrata</i> —Orange or Bergamont Mint | | 25 |
| " <i>crispa</i> —Curly Mint | | 25 |
| " <i>gentilis</i> —Ginger | | 25 |
| " <i>niliaca</i> | | 25 |
| " <i>piperita</i> —Peppermint | | 25 |
| " <i>pulegium</i> —Pennyroyal | | 25 |
| " <i>requeini</i> —Corsican Mint | | 35 |
| " <i>rotundifolia</i> —Woolly or Apple Mint | | 25 |
| " <i>variegata</i> —Variegated Apple Mint | | 25 |
| " <i>tomentosa</i> | | 25 |
| " <i>viridis</i> | | 25 |
| Mertensia virginica—Virginia Cowslip | | 25 |
| Milfoil, see <i>Achillea</i> | | |
| Milkweed, see <i>Asclepias</i> | | |
| Mints, see <i>Mentha</i> | | |
| Monarda didyma—Bee Balm | | 25 |
| " <i>fistulosa</i> hyb. Bergamont | | 25 |
| " <i>florariensis</i> | | 25 |
| Monkshood, see <i>Aconitum</i> | | |
| Mosquito Plant, see <i>Cedronella</i> | | |
| Mugwort, Sweet, see <i>Artemesia</i> | | |
| Myosotis alpestris—For-get-me-not | per doz. | 2.00 |
| Myrica carolinensis—Bayberry | | 50 |
| Myrrhis odorata—Sweet Cicely | | 50 |
| Myrtle, see <i>Vinca</i> or <i>Myrtus</i> | | |

Myrtus communis—True Myrtle

75-1.50

| | |
|--|--------------------|
| Nepeta cataria—Catnip | 25 |
| " hederacea variegata—Variegated Ground Ivy | 25 |
| " grandiflora | 35 |
| " macrantha | 35 |
| " mussini | 35 |
| " " Six Hills Giant | 35 |
| Nicotiana affinis | per doz. 50 |
| Nymphaea odorata—Pond Lily in variety | 1.50-2.00 |
| Ocimum basilicum—Sweet Basil | 20 |
| " Purple | 20 |
| " crispum—Curly or Lettuce Leaved Basil | 20 |
| " minimum—Bush Basil | 20 |
| Old Man, see Artemesia abrotanum | |
| Old Woman, see Artemesia stellariana | |
| Origanum dictamnus—Cretan Dittany | 50 |
| " marjorana—Sweet or Knotted Marjoram | 25 |
| " vulgare—Wild Marjoram | 25 |
| Ornithogalum umbellatum—Star of Bethlehem | 3 for 25 |
| Pelargonium: Scented-leaved Geranium | |
| " Attar of Roses, graveolens type | 50 |
| " Blandfordianum, (graveolens x echinatum) | 1.50 |
| " Brilliant | 1.00 |
| " capitatum, Large-leaved Rose | 35 |
| " Capri | 50 |
| " citriodorum, Prince of Orange | 50 |
| " Clorinda | 50 |
| " crispum, Finger Bowl (long petiole) | 50 |
| " " Lady Mary | 35 |
| " " minor | 50 |
| " " Prince Rupert (formerly citriodorum) | 50 |
| " " variegatum, Variegated Prince Rupert | 50 |
| " cucullatum, Lemon-balm scented | 50 |
| " decipiens | 50 |
| " dennesianum | 50 |
| " denticulatum (formerly denticulatum majus) | 50 |
| " " from Kew | 50 |
| " " x tomentosum, | |
| " Pungent Peppermint | 1.00 |
| " filicifolium, Fern-leaf | 2.00 |
| " fissifolium | 2.00 |
| " fragrans, Nutmeg | 35 |
| " " turpenthia, Pine-scented | 50 |
| " fulgidum, Old Scarlet Unique | 1.00 |
| " Godfrey's Pride, Mint-scented | 1.00 |
| " granulosus | 50 |
| " graveolens camphora, Camphor Rose | 35 |
| " " Dr. Livingston, Skeleton Rose | 35 |
| " " Elkhorne | 1.00 |
| " " fragrantissimum | 50 |
| " " giganteum, Giant Rose | 50 |
| " " Gray Lady Plymouth | 1.00 |
| " " Lady Plymouth | 35 |
| " " minor, Little-leaf Rose | 1.00 |
| " " Old Fashioned Lemon Rose | 35 |
| " " Red Flowered Rose (formerly Vandasei) | 50 |
| " " variegatum, Mint-scented Rose | 2.00 |
| " grossularioides, Gooseberry-leaved | 1.00 |

| | | |
|---|-------------|------|
| Pelargonium— <i>ignascens</i> (syn. <i>filtrum</i> , <i>coccineum</i>) | | |
| | Mrs. Taylor | 35 |
| " <i>limoneum</i> , Lemon | | 35 |
| " <i>melissimum acerifolium</i> , Maple Leaf Balm | | 35 |
| " " Lemon Balm | | 35 |
| " <i>nervosum</i> , Lime-scented | | 1.00 |
| " <i>odoratissimum</i> , Apple | | 1.00 |
| " <i>variegatum</i> , | | |
| " <i>Variegated Apple</i> | | 1.00 |
| " <i>parviflorum</i> , Cocoanut | | 50 |
| " <i>Pretty Polly</i> , Almond-scented | | 50 |
| " <i>quercifolium</i> Beauty | | 50 |
| " Fair Ellen | | 35 |
| " Fringed Oak | | 50 |
| " Fringed Oak x Fair Ellen | | 50 |
| " <i>giganteum</i> , Giant Oak | | 1.00 |
| " " <i>variegatum</i> , | | |
| " <i>Harlequin</i> | | 3.00 |
| " <i>pinnatifidum</i> , Sharp-toothed | | |
| " <i>Oak</i> | | 1.00 |
| " <i>prostratum</i> , Prostrate Oak | | 35 |
| " <i>Skelton's Unique</i> | | 35 |
| " <i>Staghorn Oak Leaf</i> | | |
| " (formerly True Oak) | | 35 |
| " <i>radula</i> , Crowfoot | | 2.00 |
| " <i>rapaceum</i> , Mrs. Kingsley | | 2.00 |
| " <i>Rolisson's Unique</i> , Climbing Pelargonium | | 2.00 |
| " <i>Round-leaved Rose</i> (formerly | | |
| " <i>Mrs. Dutton's Rose</i>) | | 35 |
| " <i>Round-leaved Rose Variety Snowflake</i> | | 1.00 |
| " <i>scabrum</i> , Apricot-Scented | | 50 |
| " <i>Scarboroviae</i> , Countess of Scarboro, | | |
| " <i>Strawberry-Scented</i> | | 2.00 |
| " <i>Schottesham Pet</i> , Filbert-Scented | | 35 |
| " <i>Shrubland Rose</i> | | 1.00 |
| " <i>terebinthinaceum</i> , Little Gem | | 50 |
| " <i>tomentosum</i> , Peppermint Pelargonium | | 50 |
| " " <i>x graveolens</i> , Rose Mint | | 50 |
| " <i>Toronto</i> , Ginger-Scented | | 1.00 |
| " <i>Viscosum</i> , Pheasant's Foot | | 2.00 |
| " <i>glutinosum</i> (syn. | | |
| " <i>Alchemelliooides</i>) Var. Pheasant's Foot | | 50 |
| Pelargonium—Cactus and Climbing types | | |
| " <i>echinatum</i> , Cactus Pelargonium | | 1.00 |
| " <i>fulgidium</i> , cactus type | | 1.00 |
| " <i>gibbosum</i> , yellow flowered, night | | |
| " scented | | 1.00 |
| " <i>scandens</i> , climbing | | 50 |
| " <i>Stapeltoni</i> , cactus type | | 1.00 |
| " <i>tetragonum</i> , climbing | | 50 |
| Pelargonium—Colored Leaved Varieties | | |
| " <i>Achievement</i> | | 50 |
| " <i>Alpha</i> | | 1.00 |
| " <i>Beckwith's Pride</i> | | 50 |
| " <i>Bismark</i> | | 1.00 |
| " <i>Bronze Beauty</i> | | 1.00 |
| " <i>Cloth of Gold</i> | | 1.00 |
| " <i>Distinction</i> | | 1.00 |
| " <i>Dwarf Vesuvius</i> | | 3.00 |
| " <i>Flowers of Spring</i> | | 1.00 |
| " <i>Frutetorum</i> | | 35 |
| " <i>Happy Thought</i> | | 50 |
| " <i>Italian Skies</i> | | 1.00 |
| " <i>Jubilee</i> | | 1.00 |

| | |
|---|---------------|
| Pelargonium—Lady Pollock, single and double | 1.00 |
| Langreth | 50 |
| " Mary Ann | 50 |
| " Madame Sellerioi | 35 |
| " Marchal McMahon, red and pink | 50 |
| " Miss Burdett Coutts | 3.00 |
| " Mrs. Parker | 50 |
| " Silver Leaf S. A. Nutt | 50 |
| Pelargonium—Ivy Leaved Varieties | |
| Countess de Grey | 50 |
| " Jeanne D'Arc | 50 |
| " Mme. Margot, Sunset or L'Elegante | 50 |
| Pelargonium—Unusual and Fine-Flowered Varieties | |
| Apple Blossom—possibly Rober's | |
| Mme. Jaullin | 50-1.00 |
| " Barbara Hope | 50-1.00 |
| " Battle of Gettysburg | 50-1.00 |
| " Double New Life | 50 |
| " Emil Zola | 50-1.00 |
| " Mr. Luce's Seedling | 50 |
| " Mrs. Hawley | 50-1.00 |
| " Pale Pink Seedling | 50 |
| " Pansy—Lady Washington type | 50-1.00 |
| " Poinsettia | 50-1.00 |
| " Rich Red Seedling | 50 |
| " Rosebud | 50 |
| " Snowflake | 50 |
| " Sweet William | 50-1.00 |
| Pimpinella anisatum—Anise | per doz. 1.00 |
| Pink, Clove, see Dianthus | |
| Pleurisy root, see Asclepias | |
| Podophyllum peltatum—Mandrake—May Apple | 25 |
| Poke Weed, see Phytolacca | |
| Polemonium caeruleum—Jacob's Ladder | 25 |
| Primula acaulis (vulgaris) English | 35 |
| " auricula—Auricula | 35 |
| " elatior—Oxlip | 35 |
| " veris (officinalis)—Cowslip | 35 |
| Pulmonaria angustifolia | 35 |
| " saccharata—Lungwort | 35 |
| Purple Cone Flower, see Echinacea | |
| Purslane (white), see Euphorbia | |
| Pycnanthemum flexuosum—Mountain Mint | 35 |
| " muticum | 35 |
| Pyrethrum, see Chrysanthemum | |
| Radicula armoracia—Horseradish | 25 |
| Ranunculus ficaria—Celandine (lesser) | 25 |
| Rheum rhabonticum—Sutton's Rhubarb | 25 |
| Rhubarb, see Rheum | |
| Rosmarinus officinalis | 35-50 |
| " prostratus—Prostrate Rosemary | 1.00 |
| Rudbeckia hirta—Black Eyed Susan | 25 |
| Rumex acetosa—Garden Sorrel | 25 |
| Ruta graveolens—Rue | 25 |
| " variegata—Variegated Rue | 50 |
| Saffron, see Carthamus, Crocus or Colchicum | |
| Sage, see Salvia or Artemisia | |
| Salvia officinalis—Sage | 25 |
| " rutilans—Pineapple Sage | 25 |
| " sclarea—Clary | 25 |
| Samphire—see Crithrum | |
| Sanguisorba canadensis—American Burnet | 25 |
| " minor—Salad Burnet | 25 |

| | |
|---|-------------------|
| <i>Santolina chamaecyparissus</i> —Lavender Cotton | 25 |
| " <i>pinnata</i> | 50 |
| " <i>tomentosa</i> | 50 |
| " <i>viridis</i> —Green | 25 |
| <i>Satureia alpina</i> —Calamint | 25 |
| " <i>hortensis</i> —Summer Savory | 25 |
| " <i>montana</i> —Winter Savory | 25 |
| Savory, see <i>Satureia</i> | |
| <i>Scilla sibirica</i> —Squill | bulbs per doz. 60 |
| <i>Sempervivum tectorum</i> —House Leek | 35 |
| <i>Senna</i> , Wild, see <i>Cassia Marylandica</i> | |
| <i>Sium sisarum</i> —Skirret | 25 |
| Snakeroot, see <i>Cimicifuga</i> or <i>Eupatorium</i> | |
| Snapdragon, see <i>Antirrhinum</i> | |
| Sneezewort, see <i>Achillea</i> | |
| Sorrel, see <i>Rumex</i> | |
| Southern Wood, see <i>Artemesia</i> | |
| Speedwell, see <i>Veronica</i> | |
| Squill, see <i>Scilla</i> | |
| <i>Stachys officinalis</i> —Betony | 25 |
| Star of Bethlehem, see <i>Ornithogalum</i> | |
| Sweet Flag, see <i>Acorus</i> | |
| Sweet Mugwort, see <i>Artemisia</i> | |
| " Rocket, see <i>Hesperis</i> | |
| <i>Symphytum officinale</i> —Comfrey | 35 |
| <i>Tanacetum vulgare</i> | 25 |
| " variety <i>Crispum</i> | 35 |
| Tarragon, see <i>Artemesia</i> | |
| <i>Teucrium chamaedrys</i> —Germander | 35- 50 |
| " <i>flavum</i> —Germander | 35- 50 |
| " <i>scorodonia</i> —Wood Sage | 35 |
| Thoroughwort, see <i>Eupatorium</i> | |
| <i>Thymus</i> —Thyme | |
| " <i>alsinoides</i> | 35 |
| " <i>angustifolius</i> | 35 |
| " <i>azoricus</i> | 35 |
| " <i>chamaedrys</i> | 35 |
| " <i>cimicinus</i> —Red Stemmed Thyme | 35 |
| " <i>erectus</i> | 35 |
| " <i>fragrantissimum</i> | 35 |
| " <i>herba</i> — <i>barona</i> —Caraway Thyme | 35 |
| " <i>lanicaulis</i> —Wooly Stemmed Thyme | 35 |
| " <i>nitidus</i> | 35 |
| " <i>nummularius</i> | 35 |
| " <i>serpyllum</i> —Mother of Thyme | 35 |
| " <i>albus</i> —White Thyme | 35 |
| " <i>argenteus</i> (<i>citriodorus argenteus</i>) | |
| " Silver Lemon | 35 |
| " " <i>aureus</i> —Golden Thyme | 35 |
| " " <i>coccineus</i> —Crimson Thyme | 35 |
| " " <i>lanuginosus</i> —Wooly Thyme | 35 |
| " " <i>vulgaris</i> —(<i>citriodorus</i>) Lemon Thyme | 35 |
| " <i>aureus</i> — | |
| " Golden Lemon Thyme | 35 |
| " " <i>vulgaris</i> —English—Common Thyme | 35 |
| " " French—Narrow Leaved Thyme | 35 |
| " " German—Broad | 35 |
| <i>Tradescantia virginica</i> —Spiderwort | 25 |
| <i>Trillium erectum</i> —Purple | 3 for 50 |
| " <i>grandiflorum</i> —Snow | 3 for 50 |
| " <i>undulatum</i> —Painted | 3 for 50 |
| <i>Triteleia uniflora</i> , (<i>Brodiaea</i>) Bulb | 3 for 50 |
| <i>Trollius europaeus</i> —Globe Flower | 40 |
| <i>Tussilago farfara</i> —Coltsfoot | 35 |

| | |
|--|----------------|
| <i>Valeriana officinalis</i> —Garden Heliotrope | 25 |
| <i>Verbena</i> , lemon, see <i>Lippia</i> | |
| <i>Veronica peduncularis</i> —Speedwell | 35 |
| " <i>virginica</i> —Leptandrin | 25 |
| <i>Vinca Minor</i> —Myrtle, Periwinkle | 40 |
| <i>Viola odorata</i> —Sweet Violet | 25 |
| " <i>tricolor</i> —Ladies' Delight—Heartsease | 50 per doz. |
| <i>Virginia Cowslip</i> , see <i>Mertensia</i> | |
| Wild Ginger, see <i>Asarum</i> | |
| Woad, see <i>Isatis</i> | |
| Woodruff, sweet, see <i>Asperula</i> | |
| Wormwood, see <i>Artemesia</i> | |
| Yarrow, see <i>Artemesia</i> | |
| <i>Yucca filamentosa</i> —Adam's Needle | 40 |
| Other items not listed are available at our nursery. | |

For dried Herbs and Old Fashioned Candy
visit Wiggins' Country Store, Hotel North-
ampton, Northampton, Mass.

Herb Books and Literature may be pur-
chased at the Hampshire Bookshop, North-
ampton, Mass.

U. S. DEPARTMENT OF AGRICULTURE,

WASHINGTON, D. C.

BUREAU OF PLANT INDUSTRY
Fruit and Vegetable Crops and Diseases

• P. O. 8-3591

